



# Product Catalog

“What’s Your Application?”™



**NewEra**  
instruments  
By New Era Pump Systems

# Catalog Contents



Looking for a product not shown in this catalog?  
We offer additional products and Custom Solutions.

Contact us to learn more:



## Pump Systems

3 - 9

Infusion <b>ONE</b> .....	3
Syringe <b>ONE</b> .....	4
Syringe <b>TWO</b> .....	5
Micro <b>Fluidics</b> .....	6
<b>MULTI</b> Syringe.....	7
PeriPump <b>ONE</b> .....	8
Syringe: <b>OEM</b> .....	9

## System Upgrades

10 - 11

Pump Upgrades.....	10
<b>NeXt</b> Gen Difference.....	11

## Accessories

12 - 16

Syringe <b>Heater</b> .....	12
<b>Ana-Box</b> <sup>TM</sup> .....	13
SyringePump <b>Pro</b> .....	14
Cables.....	15
Other Devices.....	16

## Syringes

17 - 20

Disposable Syringes & <b>Kits</b> .....	17
Glass Syringes: <b>Standard</b> and <b>Gas Tight</b> .....	18
<b>Stainless Steel</b> Syringes.....	19
PeriPump <b>ONE</b> : <b>Peristaltic</b> Plumbing & <b>Tubing</b> .....	20



# Fast, Easy, Precise.

## InfusionONE by New Era Instruments

The **InfusionONE**\* is a syringe pump capable of infusing fluids at extremely low or high rates with exceptional accuracy to meet your every need. With its sleek, space-saving design and easy-to-use interface that saves stored settings, it is the ideal tool to use any time a syringe is used. It is designed to contain just the features you need at a fraction of the cost.




### Highlights

- **Simple interface** to learn and operate.
- Pumping Precision, within +/- 1 % accuracy.
- Rates from **.73 µL/hr to 1568 mL/hr**.
- **Infuses fluids** with **celerity** and **reliability**.
- Supports syringes from 1 mL to 140 mL.
- Infusion **settings can be saved** and loaded on start-up.
- **Power Failure mode** resumes infusing after sudden power interruptions.
- Space saving footprint; only 5.75" x 8.75".
- **2 year warranty** and **lifetime technical support**.

\* This product is not an FDA cleared device.

### 3-Step Setup

1. Set the syringe  
**Diameter**
2. Set the pumping  
**Rate**
3. Insert the syringe and  
**Start**



+1.631.249.1392

Visit us on the web:  
[www.SyringePump.com](http://www.SyringePump.com)

[info@SyringePump.com](mailto:info@SyringePump.com)

*Looking for more pumping features?*

Visit [www.SyringePump.com](http://www.SyringePump.com) to view our wide selection of syringe pumps and the array of features and functions they offer.





# Fast, Easy, Precise.

## SyringeONE by New Era Instruments

+1.631.249.1392  
 info@SyringePump.com

The **SyringeONE\*** is a single channel syringe pump capable of infusing or withdrawing fluids at extremely low or high rates. It contains features not available in the **InfusionONE**, such as stall detection, programmable dispense volumes, and more.



### Applications



### 4-Step Setup

1. Set the syringe
2. Set the pumping
3. Select the direction
4. Insert the syringe and

### Highlights

- **Simple interface** to learn and operate.
- Pumping Precision, within +/- **1 % accuracy**.
- **Infusion** and **withdrawal** rates from **.73 µL/hr to 2120 mL/hr**.
- Infuses and withdraws fluids with **celerity** and **reliability**.
- Supports syringes from 1 mL to 140 mL.
- **Easy to program** simple dispenses, continuous flow, complex automation and more via the keypad or a PC.
- Available in a **High Pressure** version, which has double the force of the standard **SyringeONE**.
- Space saving footprint; only 8.75" x 5.75".
- **2 year warranty** and **lifetime technical support**.
- Can be **upgraded** with advanced firmware versions.

\* This product is not an FDA cleared device.

*Looking for more pumping features?*

Visit [www.SyringePump.com](http://www.SyringePump.com) to view our wide selection of syringe pumps and the array of features and functions they offer.





**NewEra**  
instruments  
By New Era Pump Systems

# Fast, Easy, Precise.

## Syringe**TWO** by New Era Instruments

+1.631.249.1392  
www.SyringePump.com  
info@SyringePump.com

The Syringe**TWO** is two channel syringe pump that is able to infuse or withdraw using two syringes simultaneously. Both syringes infuse or withdraw at the same rate.



Comes with advanced functions and features including:

- Selectable Sub-Programs
- RS-232 Control
- Stall Detection
- Power Failure Mode
- TTL logic I/O firmware inputs
- and many more!

- Can **dispense or withdraw** fluids simultaneously.
- Can hold **two** of the same or different sized syringes, up to 140 mL each.
- **Easy to program** simple dispenses, continuous flow, complex automation and more via the keypad or a PC.
- Program and store up to **41 unique phases**.
- Flow Rates from **1.436 µL/hr to 7515 mL/hr**.
- Space saving dimensions of 8.75" x 5.75" x 4.50"
- Network up to 100 pumps together.
- **Two year warranty and lifetime** technical support.

**MADE IN USA**



# Fast, Easy, Precise.

## MicroFLUIDICS by New Era Instruments




SKU: 1002X



SKU: 4002X

### Features:

- All of the same programming features as the SyringeONE / SyringeTWO.
- Supports syringe sizes from .5  $\mu$ L to 140 mL.
- Smooth, precise pumping at ultralow flow rates.
  - From 0.007 nL/hr to 2505  $\mu$ L/min (model, syringe dependent).
  - **Linear/Gradient Pumping Feature:** Delivers a smooth, linear flow rate
  - **Advance per step: 4.185267857 nm**
  - **Dispense accuracy within  $\pm 0.5\%$**
- Upgradeable to X or X2 firmware versions



Microfluidic pumps are also available in Single and Dual Channel OEM Versions!

Single Channel = SKU: 502X  
Dual Channel = SKU: 4502X



+1.631.249.1392



Visit us on the web:  
[www.SyringePump.com](http://www.SyringePump.com)



[info@SyringePump.com](mailto:info@SyringePump.com)

MADE IN  
**USA**



# Fast, Easy, Precise.

## MULTISyringe by New Era Instruments

The **MULTISyringe\*** is a syringe pump capable of infusing and withdrawing fluids at extremely low or high rates with exceptional accuracy to meet your every need. With its sleek, space-saving design and easy-to-use interface that saves stored settings, it is the perfect device to use when pumping with multiple syringes at once. It is capable of utilizing up to 12 syringes (*model dependent*).



### Highlights

- **Simple interface** to learn and operate.
- Pumping Precision, within +/- 1 % accuracy.
- Rates from **.454 µL/hr to ...** and syringes from **1 mL to ...**

Model	Number of Syringes	Maximum Syringe Size	Maximum Pumping Rate
SyringeSIX	6	140 mL	1451 mL/hr <i>with a B-D 60 mL syringe</i>
SyringeEIGHT	8	10 mL	410.7 mL/hr <i>with a B-D 10 mL syringe</i>
SyringeTWELVE	12	3 mL	153.2 mL/hr <i>with a B-D 3 mL syringe</i>

- Can be **upgraded** with **advanced firmware** versions.
- Pumping **settings can be saved** and loaded on start-up.
- **Power Failure mode** resumes infusing after sudden power interruptions.
- Space saving footprint; only 10 1/4" x 15" x 5"
- **2 year warranty** and **lifetime technical support**.
- Program up to 41 pumping phases via the **keypad or PC**.

\* This product is not an FDA cleared device.

### Applications



+1.631.249.1392

Visit us on the web:  
[www.SyringePump.com](http://www.SyringePump.com)

[info@SyringePump.com](mailto:info@SyringePump.com)

MADE IN  
**USA**



# Fast, Easy, Precise.

## SyringeONE - High Pressure

by New Era Instruments



SKU: 8000

### Features:

- All of the same programming features as the SyringeONE.
- Supports syringe sizes from 1 mL to 200 mL.
- Ideal for High Pressure Applications - capable of pumping with up to **200 lbs. of force**.
  - Rates from 1.733  $\mu\text{L/hr}$  to 340.6 mL/min.
  - Dispense accuracy within  $\pm 1\%$
- Upgradeable to X or X2 firmware versions

Custom Modifications can be made to suit your application.  
Please contact your dealer if you have an inquiry.



+1.631.249.1392



Visit us on the web:  
[www.SyringePump.com](http://www.SyringePump.com)




[info@SyringePump.com](mailto:info@SyringePump.com)





# Fast, Easy, Precise.

## PeriPumpONE\* by New Era Instruments



*The pump head NEVER comes into contact with fluid!*

- **Peristaltic Pump** that can **dispense** or **withdraw** fluids.
- Interchangeable models of pump heads.
- **Customizable** pumping modes to maximize accuracy, efficiency, and integrity of products.
- **Easy to program** simple dispenses, continuous flow, complex automation and more via the keypad or a PC.
- Flow Rates from **.004 mL/min to 1038 mL/min.**
- Space saving dimensions of 7.75" x 5.25" x 5.75"
- Network up to 100 pumps together.
- **Two year** warranty and **lifetime** technical support.

\* This product is not an FDA cleared device.

**BLUE**



**Blue Head Kit**

- Best for pumping at higher flow rates and larger dispense volumes
- Flow rates from **.035 mL/min to 775.2 mL/min**

**GREEN**



**Green Head Kit**

- Best for pumping at a low, precise flow rate and dispense volume
- Flow rates from **.004 mL/min to 75.19 mL/min**

**CLEAR**



**Clear Head Kit**

- Best for pumping at the highest flow rates and dispense volumes
- Flow rates from **.04 mL/min to 1038 mL/min**

All models come with features **OPTIMIZED** for dispensing and withdrawing fluids, including:

- Learn and Repeat - easily teach then repeat a set dispense setting.
- Slow Down - slows down the pumping rate as the desired volume is reached.
- Anti-Drip - prevents dripping or oozing of fluids when the pump stops.
- Calibration - improves pumping accuracy to under a 3% degree of error.



**MADE IN USA**



**NewEra**  
instruments  
By New Era Pump Systems

# Fast, Easy, Precise.

## Syringe:OEM by New Era Instruments



+1.631.249.1392



info@SyringePump.com



Our **Syringe:OEM** syringe pumps are available in the **SyringeONE** or **SyringeTWO** versions. They are designed to integrate into pre-existing systems seamlessly and are controlled via PC.

### OEM Accessories

#### OEM Starter Kit

**\*\*Essential for OEM Operation\*\***

Includes: Power supply, Pump-to-PC network cable, and a User Manual.


#### OEM Network Kit

**\*\*Required for connecting two OEMs together.\*\***

Includes: Power supply and a Pump-to-Pump network cable.

#### Foot Switch

A pedal that enables remote control of a pump. This can be used to start, stop, or send signals.



### Applications



### Highlights

- An **economic alternative** to our standard pumps.
- Can be **integrated** into **existing systems and processes**.
- Programming and operation are performed using RS-232 communications via our **FREE Terminal Emulator** software, **Pumping Program Generator**, SyringePumpPro, and more.
- Pumping Precision, within +/- 1 % **accuracy**.
- Available in **High Pressure, Stall Detection,** and **Long Chassis** versions.
- **2 year warranty** and **lifetime technical support**.
- Can be **upgraded** with advanced firmware versions.

*\* This product is not an FDA cleared device.*

#### Need a Custom Setup?

*If your application requires a custom design or features not listed, there are no limits to what we can create for you. Contact us by phone or e-mail to develop the best pumping system for your needs.*

**MADE IN  
USA**



# Fast, Easy, Precise.

## Pump Upgrades by New Era Instruments

+1.631.249.1392

info@SyringePump.com

Enhance your pump with a firmware upgrade and utilize the **X** version's advanced capabilities.



**X** < SKU: FW-1-X = SyringeONE, SyringeTWO, MULTISyringe  
SKU: FW-5-X = Syringe:OEM

**X2** < SKU: FW-1-X2 = SyringeONE, SyringeTWO, MULTISyringe, PeriPump Series  
SKU: FW-5-X2 = Syringe:OEM

### X Version Upgrade

Adds additional features to your pump, including:

- ❖ **Linear-Gradient Program Mode**
  - Smooth, linear pumping in a gradient.
  - As simple as programming the start rate, end rate, and time.
  - Gradients can be programmed alongside other features.
- ❖ **Dual Pump NeXtGen Mode**
  - Creates a continuous dual pump system.
  - Eliminates flow drop off, pauses, and flow rate inconsistency issues in dual pump systems.
- ❖ **Dual Pump Constant Flow Rate Gradient Mode**
  - Inverse, linear gradient pumping with two pumps achieve a constant flow rate.
  - Both pumps increase and decrease pumping rates in tandem.
- ❖ **Additional Programming Functions & Enhancements**
  - For unique and complex applications.



### X2 Version Upgrade

Along with the features of the **X** Version, the **X2** version has:

- ❖ **8x MORE Programming Phases**
  - Increases the amount of programmable pumping phases from 41 to 340.

MADE IN  
USA



**NewEra**  
instruments  
By New Era Pump Systems



+1.631.249.1392



info@SyringePump.com

# Fast, Easy, Precise.

## NeXtGen by New Era Instruments

### What is the NeXtGen Difference?

**NeXtGen** Continuous pump systems eliminate the problems that traditional push-pull pumps face. Rather than infusing and refilling two syringes at the same rate, the refilling syringe fills faster than the one infusing.

This eliminates issues that typical push-pull pumps face, which means there are **NO** flow rate drop-offs, **NO** pauses, and **NO** inconsistencies in flow rates.

Additionally, the **NeXtGen** mode allows the refilled syringe to begin infusing before the infusing syringe is completely empty.



### Accessories

#### Dual Pump Plumbing Kit

Pre-assembled with 2 sets of tubing and connectors that are used to create a Continuous Infusion system.

#### Includes:

- ❖ 2x Dual Check Valves
- ❖ 2x 50 mL NormJect® syringes
- ❖ 2x Y-connectors
- ❖ 12' of .125" ID Tubing



Select any two pumps from the Syringe**ONE**, Syringe**TWO**, **MULTI**Syringe, or Syringe**OEM** Series.



Upgrade both pumps with the **X** chip. **(FW-1-X)**



Link both pumps together with the Dual Pump Cable. **(CBL-DUAL-3)**

#### Need Custom Features?

*If your application requires custom features, there are no limits to what we can create for you. Contact us by phone or e-mail to develop the best pumping system for your needs.*





**New Era**  
instruments  
By New Era Pump Systems

# Fast, Easy, Precise.

## SyringeHeater by New Era Instruments



+1.631.249.1392



info@SyringePump.com



**SKU: HEATER-KIT-1LG**



**SKU: HEATER-KIT-5SP**

The **SyringeHeater** is a thermo-kinetic heat clamp that attaches to syringes or tubing in applications where temperature matters.

- ❖ A **SyringeHeater** uses a thermo-kinetic control algorithm to raise and maintain a desired temperature.
- ❖ Set the desired temperature and sensors on the heating pad keep it within range.
- ❖ Temperature and other parameters are saved in the settings.
- ❖ Heated syringes can be mounted on any syringe pump.
- ❖ Start with a single **SyringeHeater** kit, and add up to 11 additional Heating Pads per Control Unit!
- ❖ Heater Kits include a Control Unit and a Primary Heater Pad.

### Heats syringes up to **185°C!**

To add more heating pads to an existing kit, Secondary and Additional pads are available for both 1LG and 5SP versions.

*(xxx correlates to the pad version.)*

**Secondary Pad:** (Pad #2)

**SKU: HEATER-PAD2-xxx**

**Additional Pad:** (Pad #'s 3-12)

**SKU: HEATER-PAD3-xxx**

### ⚠ **Cautions**

- ⚠ Please contact your dealer about syringe and pump compatibility when heating above 100°C.
- ⚠ If you are in a region where the voltage is greater than 120V, a step-down transformer is required.

**MADE IN  
USA**




New Era  
instruments  
By New Era Pump Systems

# Fast, Easy, Precise.

## Ana-Box™ by New Era Instruments

+1.631.249.1392

info@SyringePump.com




### Closed Loop Analog Sensor Interface


- ❖ Control start and stop operation of the pump at set voltages.
- ❖ Set changes in flow rate by setting specific voltage parameters.
- ❖ Works with any pump (except the **InfusionONE**).
- ❖ Input voltage parameters directly into the desired pump.
- ❖ Data log and output settings can be saved by connecting the Ana-Box to a PC.
- ❖ Can integrate with other sensors and systems.  
(i.e. connect the Ana-Box to a pressure sensor with a voltage output. The pumping rate changes can be set to adjust automatically to reach a specified pressure.)

### Sample Operational Modes:


Gradient with Voltage




Start Pump at Trigger Voltage




Stop Pump within Voltage Range



Stop Pump at Trigger Voltage



Start Pump within Voltage Range



MADE IN  
USA



**NewEra**  
instruments  
By New Era Pump Systems

# Fast, Easy, Precise.

## SyringePumpPro

Control Software for Syringe Pumps


+1.631.249.1392

info@SyringePump.com

SyringePumpPro creates an easy-to-use interface on a computer to control and program syringe pumps.

### SyringePumpPro...

- ❖ Allows pumping programs to be created and uploaded to pumps.
- ❖ Synchronizes start and stop operation of multiple pumps.
- ❖ Can be used to monitor pumping parameters, protocols, and commands.
- ❖ Reduces command and program input time; gives you more time to focus on your application.
- ❖ Commands do NOT need to be input repeatedly like in terminal software.
- ❖ Can be used with any New Era pump that has computer communication ports.



*Download SyringePumpPro and experience effective, user-friendly software support like never before.*

SyringePumpPro is compatible with the following brands:





# Fast, Easy, Precise.

+1.631.249.1392  
 info@SyringePump.com

## Cables by New Era Instruments

### Pump Synchronization Cable



**SKU: CBL-DUAL-3**

- ❖ Used to create dual or continuous systems.
- ❖ Establishes a link between two pumps, allowing data to be transferred.

### Lockout Disable Key



**SKU: ADPT-LOCKOUT**

- ❖ Prevents unauthorized changes to settings by locking the keypad.
- ❖ Enable/Disable Lockout Mode using this key with the TTL Logic port on the desired pump.

### Pump-to-PC Primary Network Cable



**SKU: CBL-PC-PUMP-7**  
(7 ft. cable)

**SKU: CBL-PC-PUMP-25**  
(25 ft. cable)

- ❖ Enables full control over a pump system via PC.
- ❖ Connects to a PC using RS-232 communications.

### Pump-to-Pump Secondary Network Cable



**SKU: CBL-NET-7**  
(7 ft. cable)

**SKU: CBL-NET-25**  
(25 ft. cable)

- ❖ Networks an additional pump to an established pump system and PC.
- ❖ The first pump in the series must be connected to a PC with the Pump-to-PC cable.

### RS-232 to USB Converter



**SKU: CBL-USB232**

- ❖ Adds an RS-232 Port to a PC by using a USB port.







**NewEra**  
instruments  
By New Era Pump Systems

# Fast, Easy, Precise.

## Other Devices by New Era Instruments


+1.631.249.1392

info@SyringePump.com

Contact your dealer to learn about the various accessories that can streamline your pumping process.

### Single/Double Valve Control Box SKU: ADPT-VALVE-INTERFACE-x x = 1 for Single 2 for Double

- ❖ Controls the electronic valve(s) in a system. (Single if a system has 1 valve, double if a system has 2 valves.)
- ❖ Attach 12V DC valves, and the Control Box will open or close the valves, depending on the pumping direction.
- ❖ Connects to the pump's TTL Logic Port.
- ❖ Includes a power supply for 1 or 2 valves.
- ❖ **Double Valve Control Box** includes CBL-DUAL-3 to synchronize operation of two pumps.



### Clock Timer SKU: ADPT-CLK

- ❖ Triggers a pump to execute a single operation or an entire pumping program at time specific date and time intervals.
- ❖ Stores up to 16 unique programs for 16 different programs.
- ❖ Has an alternative **Manual** program setting that allows the Clock Timer to operate as a foot switch.
- ❖ Compatible with any New Era pump that has TTL I/O Ports.



### Foot Switch SKU: ADPT-FOOTSW-2

- ❖ Send a signal to a pump. (i.e. start, stop, other signals to a pumping program)
- ❖ 20 ft of cable between switch and TTL Logic Port.
- ❖ Fast and simple setup.



**MADE IN USA**