THE CANCER-METABOLISM LINK

# Cell Metabolism Assays for Cancer Research


# MEASURING THE KEY PARAMETERS OF CANCER METABOLISM

#### METABOLIC PHENOTYPES OF CANCER CELLS


Cancer cells exhibit a phenotype that reflects their metabolic needs. Researchers are using XF Technology and XF Stress Tests to explore these metabolic changes, and the effect of metabolic therapies to increase their understanding of cancer. The XF Cell Mito Stress Test measures the key parameters of respiration: basal respiration, proton leak, ATP-linked respiration, maximal respiration, and spare respiratory capacity. The XF Glycolysis Stress Test measures the key parameters of glycolytic function: glycolysis, glycolytic capacity, and glycolytic reserve.

#### **METABOLIC PROFILES**

Cancer cells have a metabolic profile which reflects their altered bioenergetic requirements to support proliferation.




XF Cell Mito Stress Test reveals the dose-dependent susceptibility of breast cancer cells to polyunsaturated fatty acids as shown by a depression in all parameters of mitochondrial respiration.



XF Glycolysis Stress Test identifies prostate tumor cell susceptibility to buffer therapy illustrated by an increased glycolytic capacity over normal prostate epithelial cells.


#### **METABOLIC SWITCHING**

Cancer cells are known to switch to a metabolic phenotype that drives proliferation, such as shifting towards glycolysis (known as the Warburg effect), as illustrated by these XF Phenograms.



Extracellular Acidification Rate (ECAR)
Robinson GL., et al., (2012) Oncogene

XF Metabolic Switch Assay illustrates a Reverse Warburg phenotype in mantle cell lymphomas sensitive to TRAIL induced by 2DG inhibition, unlike the prototypic Warburg switch to aerobic glycolysis in the presence of glucose (TRAIL-resistant).




Extracellular Acidification Rate (ECAR)
Yang L., et al., (2014) Mol Syst Biol.

XF Metabolic Switch Assay identifies highly invasive ovarian cancer cells which have decreased energetics.

# THE WORLD'S MOST ADVANCED METABOLIC ANALYZERS


## PROVEN TECHNOLOGY FOR CUTTING EDGE RESEARCH

There are nearly 2,000 references utilizing XF Technology published in leading journals such as Nature and Cell. Scientists are embracing XF Technology to identify metabolic phenotypes and reprogramming to target metabolic pathways for therapeutic purposes.




ECAR (Extracellular
Acidification Rate)

Mitochondrial
Respiration
OCR (Oxygen
Consumption Rate)




#### PATHWAYS AND MECHANISM OF ACTION IN CANCER CELLS

Cancer therapies have exploited rapid proliferation as a treatment option. These treatment options can result in unwanted and unacceptable side effects. Using XF Technology to focus on understanding cell metabolism, more selective therapeutic agents can be studied and explored, not only for the effect on cancer cells, but for their systemic effects as well.



XF assay reveals p53 pathway is critical for reversing Warburg metabolism illustrated by reduced glycolytic activity in p53 knockdown squamous carcinoma cells.



XF assay reveals an unexpected dose-dependent metformin inhibition of complex I correlating to proliferation in colorectal cancer cells.


# GOLD STANDARD ASSAYS FOR THE METABOLIC HALLMARKS OF CANCER


#### TUMOR MICROENVIRONMENT


To mimic a tumors' *in vivo* environment, researchers employ methods such as culturing cells under hypoxia or modeling tumors as multicellular spheroids. XF Technology is capable of adapting to a variety of culturing conditions to provide precise, *in vivo*-like, physiologically relevant metabolic data.


#### **HYPOXIA AND SPHEROIDS**

Tumors are heterogeneous and exist in a complex, 3D environment defined by nutrient and chemical gradients (O<sub>3</sub>, pH, etc.).











XF Technology reveals glutamine oxidation requirement for hypoxia survival in both murine breast cancer and human pancreatic cells.

#### SUBSTRATE PREFERENCE

Cancer cells alter their substrate preference to maintain their rapid proliferation. XF Technology provides the necessary tools that facilitates the exploration of substrate preferences, enabling a greater understanding of cancer cell progression.



XF assay identifies substrate preference of lymphoma subsets.



XF assay reveals the critical role of fatty acid oxidation in Ras-mediated senescence of fibroblasts.


### THE CANCER-METABOLISM LINK


XF Gold Standard assays measure the hallmarks of cancer: oncogene reprogramming of metabolism, substrate preference of tumor cells, and metabolic phenotypes.


Proliferation, associated with carcinogenesis, involves oncogenes, proto-oncogenes, and mutated tumor-suppressor genes. Rapid proliferation correlates to the cells' metabolic phenotype. To maintain rapid growth cancer cells will reprogram their metabolic phenotype, switching between glycolytic and aerobic phenotypes.

Cancer cells change their substrate preference as they alter their metabolic phenotypes. For example, cancer cells may increase glutamine metabolism, alter lipid metabolism, or shift the balance between anabolic and catabolic processes.

There is increasing evidence of the interactions amongst genes, substrates, and phenotypes. XF Technology and the Gold Standard assays bring unique value to investigate the mechanisms behind the hallmarks of cancer and altered cell metabolism.







#### **GOLD STANDARD METABOLIC ASSAYS** MEASURING THE KEY PARAMETERS OF CELL METABOLISM **XF Cell Mito Stress Test Profile XF Glycolysis Stress Test Profile** Mitochondrial Respiration Rotenone & antimycin A Extracellular Acidification Rate (ECAR) Oxygen Consumption Rate (OCR) Glycolytic Reserve (mpH/min) 200 Proton Leak Time (minutes) XF Cell Energy Phenotype Test **XF Mito Fuel Flex Test Profile** Metabolic Phenotype & Potential Mitochondrial Function Aerobic Oxygen Consumption Rate (OCR) GLC+GLN+FA Fuel Oxidation Flexibility Dependency Glycolytic Dependence Extracellular Acidification Rate (ECAR) Glucose Pathway Glutamine Pathway Fatty Acid Pathway



www.seahorsebio.com

#### **Corporate Headquarters**

Seahorse Bioscience Inc. 16 Esquire Road North Billerica, MA 01862 US Phone: 1 978 671 1600 • 800 671 0633

#### **European Headquarters**

Seahorse Bioscience Europe Fruebjergvej 3 2100 Copenhagen DK Phone: +45 31 36 98 78

#### **Asia-Pacific Headquarters**

Seahorse Bioscience Asia 199 Guo Shou Jing Rd, Suite 207 Pudong, Shanghai 201203 CN Phone: 0086 21 33901768